

PRODUCT NAME
ENAMEL THINNER (SOLVENT 2026)

Enamel Thinner

SALES SPECIFICATION

Characteristics	Test Methods	Unit	Specification
Distillation Range	ASTM D86	°C	
IBP			95 min
DP			138 max
Aniline Point, Mixed	ASTM D 611	°C	38 - 43
Flash Point, Abel	IP 170	°C	-1 typical
Density @ 15°C	ASTM D4052/D1298	kg/l	0.780 – 0.810
Conductivity @ 23°C	ASTM D2624	pS/m	200 min
Benzene	GR 333	% m/m	0.09 max
Composition		% m	
Paraffins			25 typical
Naphtenics			25 typical
Aromatics			50 typical

Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications, and do not constitute any legal liability. Information is correct at time of printing