

Oils & Lubricants

Automotive Product Guide



www.peakoil.com.au
Info line 1300 722 256



Global Technology

Engine Oils



Ultra Full Synthetic Engine Oil

Ultra 0W20 API SN/CF ACEA A1/B1, A5/B5 ILSAC GL-5

Ultra 0W40 API SN/CF ACEA A3/B4

Ultra 5W30 C3 ACEA A3/B4 VW 504/507 – BMW LL 04

Supreme, technically advanced engine oils, manufactured to offer ultimate performance in the most modern engines and include formulations made from Group IV Poly-Alpha-Olefin (PAO) and Group V Ester base stocks.



Full Synthetic Engine Oil

5W30 C1 ACEA C1/C2 JASO DL-1

5W30 C3 API SN/CF ACEA A3/B4, A5/B5, C2, C3 VW 502/505 BMW LL-04

5W30 C4 ACEA C4 (2010) RENAULT RN 0720

5W40 C3 API SN/CF ACEA A3/B4, A5/B5, C2, C3 VW 502/505 BMW LL-04

Ultimate performance low SAPS engine oil, recommended for new generation Petrol, Light Diesel and LPG engines that meet Diesel Particulate Filter (DPF) requirements. Suitable for the most demanding driving conditions.



Full Synthetic Engine Oil

5W30 FE ACEA A1/B1, A5/B5 FORD WSS-M2C913-B,C,D

5W30 dx-1 API SN ILSAC GF-5 GM dexos™ 1 US/ASIAN GF-5

Specialist Full Synthetic petrol and diesel engine oils, formulated with advanced synthetic base stocks and premium additives to meet the stringent requirements of General Motors dexos™ 1 and Ford FE (Fuel Efficiency) engine oil specifications.

Engine Oils



Semi Synthetic Engine Oil

5W30 SN API SN ILSAC GF-5

10W30 SN API SN/CF ACEA A3/B3, A3/B4

10W40 SN API SN/CF ACEA A3/B3, A3/B4 JASO VTW VW 502/505

15W50 SN API SN/CF ACEA A3/B3/B4

Superior protection and all round performance, recommended for modern Petrol, Light Diesel and LPG engines. Suitable for high performance engines operating in the most demanding service conditions encountered in city and highway driving.



Advanced Mineral Engine Oil

10W30 SN API SN/CF ACEA A3/B3 ILSAC GF-4

10W40 SN API SN/CF ACEA A3/B3 ILSAC GF-4

15W40 SN API SN/CF ACEA A3/B3

15W50 SN API SN/CF ACEA A3/B3/B4 ILSAC GF-4

20W50 SN API SN/CF ACEA A2/B2

GAS SN API SN/CF 15W40 ACEA A2/B2

High quality multigrade engine oil for wide temperature range protection, formulated to exceed international performance specifications. Suitable for all modern Petrol, Light Diesel and LPG engines requiring mineral oils.



Diesel Oil

15W40 CH-4/SJ Performance Diesel ACEA A3/B3 E7, E2 Mixed Fleet Pre-1999

15W40 CI-4/SL Global Diesel ACEA A3/B4 E3, E5, E7 Mixed Fleet 2000 onwards

Premium range of heavy duty diesel oils, formulated with advanced additives to provide outstanding protection in modern high performance engines operating under the toughest conditions. Suitable for mixed fleets, new and old, turbo and naturally aspirated, with or without EGR.



Auto Transmission Fluids Gear Oils Outdoor Products



Auto Transmission Fluid

DX6 Synthetic Multi-Vehicle
CVT Fluid Synthetic Multi-Vehicle
ATF Multi-Vehicle Mineral
DX3 GM
TYPE J
95LE
TYPE M Mitsubishi

Advanced range of fluids for use in most makes and models. Suitable for Australian, Japanese, American, European, High Performance and Specialty Transmissions.



Gear Oil

80W140 LS GL-5 Synthetic (contains Sturaco 7098 friction modifier)	85W140 GL-5 Mineral
75W90 LS GL-5 Synthetic	80W90 GL-5 Mineral
DCT Fluid Synthetic	75W80 GL-4 Mineral Smooth Shift
75W90 GL-5 Semi Synthetic	LS 140 GL-5 Diff Oil
75W90 GL-4 Semi Synthetic Smooth Shift	LS 90 GL-5 Diff Oil
75W85 GL-4 Semi Synthetic	

Exceptional range of multigrade extreme pressure gear oils for use in most makes and models. Suitable for use in passenger cars, 4WD's, commercials, trucks, agriculture and construction.



Outdoor Products

Super Outboard Oil API TD TC-W3 Marine outboard two stroke
Super Two Stroke Oil API TA, TB, TC Mix with petrol-air cooled two stroke engines
Super Four Stroke Oil SAE 30 (red) API SF/CC
OHV Four Stroke Oil 10W30 SM
Chain Bar Oil ISO 125
BIO D Chain Bar Oil Organic Vegetable Oil

Extensive range of quality outdoor motor oils for industry, boating, gardening, mowing, forestry and recreational powered equipment.

Specialty Products



Suspension Fluid

LHM Fluid

Brakes, Suspension and Power Steering

MB-15 Fluid

Suspension and Shock Absorbers



Brake Fluid

Dot 3 Brake Fluid

Brake and Clutch Fluid – 450°F / 230°C Boiling Point

Dot 4 Brake Fluid

Brake and Clutch Fluid – 500°F / 260°C Boiling Point

Racing 600 Brake Fluid - Street & Track

Brake and Clutch Fluid – 600°F / 310°C Boiling Point



Power Steering Fluid

Power Steering Fluid – Synthetic

Power Steering Fluid – F-424

Power Steering Fluid – Mineral



Grease

Super Red Grease - EP2 NLGI Grade 2

General Purpose / Bearing / GP Machinery

Blue Extra Grease - EP2 NLGI Grade 2

High Temp Wheel Bearing / Boat Trailers / Machinery

Black Tack Grease - EP2 NLGI Grade 2

2% Moly / Wheel Bearings / Earthmoving / Farm Machinery

Ultra Plant Grease - XHD 2 NLGI Grade 2

Heavy Duty / Truck / Farm / Marine / Ag / Construction



Solvents

Brake Cleaner

Solvent Degreaser

Parts Wash

Tyre Shine Ultra

WD Fluid



Cleaning Products

Clean-A Screen

Hand Cleaner

Truck Wash



Additives

Diesel Injector Cleaner

Petrol Injector Cleaner

Radiator Flush

Radiator Stop Leak

Engine Friction Treatment

Worn Engine Fortifier

Engine Tune Up

Engine Flush

RACING



SUPER CAR FORMULA

RACING 10W60 SN/CF

ACEA A3/B4
BMW LL-01, PORSCHE A40
VW 502 00 / 505 00

Racing 10W60 is a multigrade low pour point, high viscosity, state of the art full synthetic, energy conserving engine oil. It provides the highest level of performance and protection from combustion and sludge deposits, heat induced oil oxidation and friction due to High Performance motoring.

This high performance oil is formulated with full synthetic Group IV Poly-Alpha-Olefin (PAO) and Group V Ester base stocks combined with the latest **Global Technology Additives** to create the ultimate oil for modern high performance engines requiring 10W60 engine oil.

Its excellent cold start fluidity and higher operating temperature viscosity makes it ideal for Australian, European, Japanese, US high performance, Prestige and Supercars where 10W60 engine oil is required. It may also be used in petrol and light diesel engines where API SN/CF and ACEA A3/B4 are specified.

Suitable for use in modern 4, 6 & 8+ cylinder, multi cam, multi-valve (including variable valve timing), naturally aspirated, supercharged & turbo charged engines, including light duty diesel engines (without DPF fitted), and with competition fuels such as E85 and Methanol.

Racing Speedway 50

Racing Speedway 50 is a custom lubricant made from a precise blend of high quality, high purity castor and synthetic base oils, and is proven to be a reliable high performer on the track. It is designed for use in extreme duty competition environments, and where methanol fuel is in use. It is also suitable for use where other high output racing fuels are preferred. A unique feature of this product is enduring lubricity under all conditions, including those where the oil is exposed to high levels of fuel entering the sump, offering the user longer drain capacity than otherwise expected. A genuine competition product for all competitor levels.

Racing 25W70

Racing 25W70 is a dedicated mineral based competition product. It offers tenacious protection via a higher viscosity oil film to ensure that wear under extreme operating condition is maintained. High quality base oils are further fortified by the highest quality additives and an increased level of zinc to offer superior anti-wear performance under racing conditions. Common fuels such as hi-octane, pump fuels, and aviation fuels such as AvGas, are suited to this product. Racing 25W70 can also be used with high output dedicated race fuels such as methanol, and E85 on short drain intervals. A genuine competition product for many competitor levels.

Peak Lubricants Pty Ltd
224-230 South Gippsland Highway,
Dandenong South, Victoria, 3175
www.peakoil.com.au
Info line 1300 722 256



www.peakoil.com.au