



Hudson Marketing Pty Ltd

MATERIAL SAFETY DATA SHEET

SPILLFIX ALL PURPOSE SPILL ABSORBER

STATEMENT OF HAZARDOUS NATURE

This product is not classified as hazardous according to criteria of NOHSC (Worksafe Australia)

COMPANY DETAILS

Hudson Marketing Pty Ltd
A.B.N. 59 082 785 788

Registered Office

Address: Level 2, 131 Macquarie Street
Sydney NSW Australia
Telephone: +612 9251 7177
Facsimile: +612 9251 7500
Website: www.hudsonresources.com
Email: corporate@higl.com.au

WA Plant

Address: 2 Kemp Street, Narngulu
WA 6530 Australia
Telephone: 1300 887 931 (within Australia) / +618 9923 3604
Facsimile: +618 9923 3773
Email: sales@higl.com.au

IDENTIFICATION

IDENTIFICATION

Product Name: Spillfix All Purpose Spill Absorber
Other Names: None
Manufacturer's Product Code: None
UN Number: None Allocated
Dangerous Good: None Allocated
Class Subsidiary Risk: None Allocated
Hazchem Code: None Allocated
Poisons Schedule Number: None Allocated
Uses: Indoor or outdoor liquid spill absorbent

PHYSICAL DESCRIPTION/PROPERTIES

Appearance: Granules
Boiling Point/Melting point: N/A
Vapour pressure: N/A
Specific Gravity: True SG: 2.3 – 2.7 Apparent SG: 0.5 – 0.7
Flashpoint (degrees C): Non-Flammable
Flammability Limits (%): N/A
Solubility in Water (gL): Insoluble

OTHER PROPERTIES

Colour: White to buff/grey
Percent Volatile: Nil
Boiling point: N/A
pH (5% suspension): 7.5 to 9.5

INGREDIENTS

Chemical Name	CAS Number
Attapulgate	12174-11-7

**SPILLFIX
ALL PURPOSE SPILL ABSORBER****HEALTH HAZARD INFORMATION****HEALTH EFFECTS**

ACUTE (effects may occur immediately or shortly after a single exposure)

Swallowed: May cause dehydration if large amounts are consumed.
Eyes: May cause physical irritation to eyes.
Skin: None.
Inhaled: None in moderation.

CHRONIC (effects may occur after repeated or prolonged exposure)

Inhaled: None in moderation.

FIRST AID

Swallowed: No adverse effects known if ingested in small quantities. For large amounts, give water and seek medical attention.
Eyes: Do not rub eyes. Flush thoroughly with flowing water. Seek medical treatment if necessary.
Skin: Wash with soap and water.
Inhaled: Move to fresh air. Seek medical attention if necessary.
First Aid Facilities: Wash facilities & basin.
Advice to Doctor: Treat symptomatically based on the doctor's judgment and patient's reactions

PRECAUTIONS FOR USE**EXPOSURE STANDARDS**

NOHSC (Worksafe Australia) Exposure Standards		
Chemical Entity	TWA (Time weighted average)	Exposure Limit in Air, Inspirable Dust
Attapulgit	8 hours	10 mg/m ³

MANUFACTURER'S RECOMMENDATION

Attapulgit is stable and inert in its natural or original form.

Since it is a porous medium, some substances (such as, but not limited to, tall/pine oil, linolenic fatty acid and linoleic fatty acid) may self heat to the point of ignition when absorbed by, or mixed with, Attapulgit. This property also applies to a wide range of porous substances such as cloth or saw dust. Attapulgit is an absorber not a neutralizer, and may inherit the characteristics of the substance or material absorbed.

PERSONAL PROTECTION

Skin: Regular clothing. Wash work clothes regularly.
Eyes: Safety goggles or safety glasses with side shields should be worn if dust is likely to be generated.
Respirator Type (AS 1716): Respirator is not normally required. If dust is generated, respiratory equipment is advisable.

**SPILLFIX
ALL PURPOSE SPILL ABSORBER****FLAMMABILITY**

Fire Hazards: Not flammable in original form.

Attapulgit is a porous substance. Some substances (such as, but not limited to, tall/pine oil, linolenic fatty acid and linoleic fatty acid) may self heat to the point of ignition when absorbed by, or mixed with, Attapulgit. . This property also applies to a wide range of porous substances such as cloth or saw dust.

SAFE HANDLING INFORMATION**SAFE HANDLING INFORMATION**

Storage & Transport: Store under cover and keep dry for best performance.
Transport is by road or container in paper bags.

Spills & Disposal: Sweep or shovel to clean up spills if in original form.
Follow safety requirements for personal protection under "Precautions for Use".

For advice on the safe use, storage and disposal of the mixture, contact the supplier of the substance to be absorbed by Attapulgit.

Waste disposal must be in compliance with local, state and national EPA requirements and other regulatory guidelines.

FIRE EXPLOSION HAZARD

Fire/Explosion: Not flammable in original form.

Reactivity: Attapulgit is a porous medium. Some substances (such as, but not limited to, tall/pine oil, linolenic fatty acid and linoleic fatty acid) may self heat to the point of ignition when absorbed by, or mixed with, Attapulgit.

For advice on the safe use, storage and disposal of the mixture, contact the supplier of the substance to be absorbed by Attapulgit.

CONTACT POINT

For further information on this product, please contact:

Telephone: 1300 887 931 (within Australia)
+618 9923 3604

Facsimile: +618 9923 3773

Email: sales@higl.com.au

Web site: www.hudsonresources.com

NOTE:

The information provided in this Material Safety Data Sheet (MSDS) is to the best of our knowledge, true and accurate. Any recommendation or suggestions that may be made are without guarantee, since the conditions are beyond our control. The information and recommendations offered are for the user's consideration. It is the user's responsibility to satisfy themselves that they are suitable and complete for this purpose.

We recommend that the safety and handling information presented in this MSDS be passed on, in an appropriate format, to your customers and handlers.